

**DECORATIVE COATINGS****TECHNICAL DATA SHEET****VINOPAT SF****PUTTY SUPER FINE**

VINOLAC SUPER FINE PUTTY IS A SUPRIOR SUPER FINE PLASTER MANUFACTURED FROM THE FINEST RAW MATERIAL AND CAREFULLY SELECTED BINDERS AND OIL WHICH WILL PROVIDE GOOD ADHESION OVER CEMENT SURFACES, WOOD ...ETC  
VINOLAC FINE PUTTY IS AN INTERIOR BODY FILLING & SURFACE LEVELING TO WHICH COVERS ALL SURFACE IMPERFECTIONS OR DENTS AND PROVIDES A LEVELED SMOOTH FINISH.

**Properties & Uses**

- Specific Gravity 1.6
- PH = 8.25
- Recommended for concrete, plaster, wood, gypsum, masonry,..etc even can be used over MDF and timber surfaces
- Exceptional ease of application which dries to a smooth surface with ease of sanding.
- Ready mixed for direct application.
- long durability
- Very good alkali resistant
- Very good crack resistance 1 to 2 mm thickness without cracking.
- Contains antibacterial and antifungal additives and oil.
- Very economical, with less absorption.

**Application**

Can be applied by putty knife, glazing knife, scrapper and spray

One pail can cover 20 to 25m<sup>2</sup> depending on surface porosity and undulation.

Drying time about 3 to 4 hours under normal conditions, allow 24 hrs before 2<sup>nd</sup> coat.

**Application Techniques**

Spray applicable, use appropriate water quantity and enough pressure for better atomization

Airless pressure should be 3000 to 3500 psi  
Nozzle Size 0.021" to 0.026"

**Preparation**

Prepare the surface well, surface should be clean from all dirt, grease/oil or any other contaminant or flakes, dry well no moisture for better adhesion

**Packing**

Available in 25 kg plastic pail  
And 5 kg gall

**Health & Safety**

Provided that reasonable standards are maintained & safe working practices followed, there are no hazards in the handling of Vinolac fine putty following the basic safety measures as good ventilation at application and drying, keep away of reach of children ....etc

**NOTE:** We warranty only the quality of our product and this data sheet is based on results obtained from experience and tests. We reserve the right to change data without prior notice. For surface preparation, safety details refer specifier and safety data. The company is not responsible of any caused damage to property or people due to unprofessional use of product