

DECORATIVE COATINGS VINOTEX G PAINT

TECHNICAL DATA SHEET

MONOCOUCHE GRATTIN TEXTURE FAÇADE

A TOP QUALITY TEXTURED EMULSION PAINT MANUFACTURED FROM HIGH QUALITY AND CAREFRULLY SELECTED RAW MATERIALS OF NATURAL AND NATYRAL P[ROCESSED STONE POWDER OFFERING GOOD PROTECTION FOR OUTDOOR FAÇADE BUILDING SURFACES, PROVIDING GOOD COVERING POWER AT A GOOD INVESTMENT COST IF COMPARED TO QUALITY, IDEALLY SUITED FOR CONTRACT PAINTING AND AVAILAVLE IN A WIDE RANGE OF TEXTURE AND COLORS TO COVER ANY DECORATIVE NEED.

Application

Can be applied using special trowel and hopper spray gun or volumetric spray unit and than applied with trowel to give the texture effect ,Thinning if necessary use water in limited quantity

TECHNICAL SPECS

Product type :Water base

BINDER :Acrylic for outdoor use

Texture grain: medium fine

Stone powder: natural and natural processed

mix

Additives :different

One pail/25kg theoretically can cover about 8 to 10m^2 depending on the surface situation . Drying time about 1 to 2 hours under normal

conditions.

Specific gravity >1.5kg/liter

Application Techniques

hopper gun applicable, use appropriate water needed quantity and enough pressure for better atomization nozzle 4to 6 mm

Volumetric unit with nozzle of 8 or 10mm Graco Tough Tek P30, Wagner PC 5 or equivalent.

Preparation

Prepare the surface well, surface should be clean from all dirt, grease/oil or any other contaminant or flakes, dry well no moisture for better adhesion

Apply as a primer VINOSEAL 100 first coat than keep overnight than apply VINOTEX G.

Health & Safety

Provided that reasonable standards are maintained & safe working practices followed, there are no hazards in the handling of Vinolac Emulsion paint following the basic safety measures as good ventilation at application and drying, keep away of reach of childrenetc

Disclaimer: We warranty only the quality of our product and this data sheet is based on results obtained from experience and lab tests. We reserve the right to change data without prior notice. For surface preparation, safety details refer specifier and safety data. The company is not responsible of any caused damage to property or people due to unprofessional use of product .do not put in drain sewage. The manufacturer is not responsible of any damage caused to defect in application by the customer or a third party.



Haber Bldg, Rwees Street, Fanar –Lebanon Tel/fax: 00961 1 696320 Commercial branche Hazmieh- Lebanon Tel/fax: 009615454292 www.hamcolb.com Email: infotec@hamcolb.com