

# VERL@CRM

## **BENEFITS**

- Resistance to use single pack system.
- Excellent, tough and hardwear resistant.
- Long life.
- Satiable for concrete and tar roads.
- Excellent flexibility.
- Available in various colours.
- Excellent glossy and reflective finish.

## **PRODUCT**

Ready to use thermoplastic road marketing coating.

#### USE

VERL@C RM is a hard wearing abrasion resistant road marking coating. VERL@C RM has good reflective glossy finish which can be used on concrete as well as tarroads,

## **DESCRIPTION**

VERL@C RM protective coating is based on solvent free, epoxy resins together with selected pigments and thixotrope which enables a substantial film thickness to be applied on vertical surfaces. The cured film is extremely tough and has a smooth, hard, surface but with fairly good slip resistant properties.

VERL@C RM protective coating has excellent adhesion to concrete and metal surfaces, outstanding chemical resistance and is unaffected by oil, grease, petrol etc. It can be used in od processing areas since after curing it is taint free.

## **PROPERTIES**

**POT LIFE**: 4 to 6 hours,

DRYING TIME : Touch dry 15 mins at 30°C and

hard dry 4 hours at 30°C,

VISCOSITY : 60 to 80 seconds,
SOLID CONTENT : Approximately 40%,
COLOUR : White, Yellow, Grey, Pink.

## **APPLICATION**

Clean the surface anc ensure free from dust and loose particles. Apply two coats by brush or spray.

#### PACKING & COVERAGE

1.5 and 20 ltr. steel containers.

VERL@C RM will caver 6 to 8 m²/ltr. depending upon the surface.

## SHELF LIFE & STORAGE

VERL@C **RM** will have a shelf life of 12 months in unopened containers when kept in dry conditions at a temperature between 5°C to 45°C. Storage at higher temperature or high humidity may reduce shelf life.

#### **HEALTH & SAFETY**

Gloves must be worn, and for overhead application prevent contact with eye. Any splashes on skin should be washed withwater and medical advice should be sought. In closed areas, good ventilation must be strictly prohibited while using VERL@C RM.

## **QUALITY ASSURANCE**

HAMCO SARL produce protective coatings,wood coating ,decorative paint ,water proofing system

Ī

# **TECHNICAL SERVICES**

While new advances and changes will take place but one thing will never change is quality and meeting special needs of our customers. Our laboratory in Baroda and technical personnel & experts are available to provide additional information and technical assistance. We are eager to work with you in development of new product and resolve your problem.



## Important note

The information given in this data sheet is based or both, the current development work and many years of field experience. Whilst every effort is made to ensure that the information is reliable, we cannot accept the responsibility for any work carried out with our materials as we have no control over methods of application, site conditions, etc. In view of the continuing research and development being undertaken in our laboratories we advise customers in their own interest to ensure that this data sheet has not been supersede by a more up-to-date publication. All products are sold subjected to our standard conditions of sale which are available on request. Field services, where provided, does not constitute supervisory responsibility. For additional information, please contact our local FAIRMATE representative.